



DATA SHEET

LOGITECH RALLY BAR

Rally Bar delivers a powerful all-in-one video conferencing experience, featuring brilliant optics, automated PTZ, and high performance audio for midsize meeting rooms. With Rally Bar, video meetings can be just as natural and productive as face-to-face collaboration.

ALL-IN-ONE VIDEO BAR FOR MEDIUM ROOMS

Logitech Rally Bar sets a new standard for video meetings in midsize rooms, with expansion options for larger groups and settings.

It's remarkably simple to use, manage, and deploy at scale, delivering cinema-quality video and audio in a sleek, all-in-one form factor. Plug and play Rally Bar with any PC or Mac, or leverage the built-in compute to run video conferencing applications directly on the device.

Rally Bar features a multi-element lens assembly, powerful low distortion speakers, and an advanced mic system to create meeting experiences that sound as good as they look. A dedicated AI camera amplifies RightSight auto-framing and delivers insights about room usage directly to the Logitech Sync dashboard. Upgrade your video collaboration with Rally Bar.



SIMPLE TO SET UP

USB Plug and Play

Easily connects to virtually any PC or Mac®, with no additional software required

Appliance Mode

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options

SIMPLE TO USE

RightSense Technologies

RightSight

Detects meeting participants, automatically moves the lens and adjusts the zoom so no one is left out of the picture

RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their best

RightSound

AI-driven voice leveling and unwanted noise suppression deliver outstanding clarity

One-Touch Join

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services

SIMPLE TO MANAGE

Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

Deploy Updates at Scale

Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech devices

Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

Partner Dashboard Support

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience



AUDIO	VIDEO	AI VIEWFINDER
Room-filling Sound Large, ultra low distortion speakers with RightSound convey every word with outstanding clarity	Ultra-HD Video Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K	Framed to Perfection A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight autoframing
Adaptive Beamforming Mic Array Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise	Expansive Room Coverage Motorized lens covers rooms 130° across by 80° high, with lossless image quality up to 5X optical zoom	See Everyone Clearly All meeting participants, even late arrivals, are automatically seen and included
Expansion Ready Add up to three Rally mic pods for even greater coverage in larger settings	Cinema Quality Logitech RightLight™ technology captures natural-looking skin tones, even in dim or backlit conditions	Move About Freely AI Viewfinder uses scene awareness to keep the camera on the action

ACCESSORIES

**TV Mount for Video Bars**

Securely mount Rally Bar above or below a TV or monitor

**Wall Mount for Video Bars**

Neatly and confidently secure Rally Bar on the wall for minimal footprint

**Rally Mic Pod in Graphite**

Expand audio coverage and provide convenient access to mute controls

**Rally Mic Pod in White**

Expand audio coverage and provide convenient access to mute controls

**Rally Mic Pod Extension Cable**

Easily connect mic pods to Rally Bar with up to two 10m extension cables

**Rally Mic Pod Mount in Graphite and White**

Hide cables and anchor mics on the table or ceiling for a clean, finished look

**Logitech Tap Controller**

Deploy with Tap for easy one-touch to join

**Rally Mic Pod Hub**

Customize microphone placement for your conference table configuration

TECH SPECS

CERTIFICATIONS & COMPATIBILITY	GENERAL	CAMERA
<p>Certifications: Zoom™ Certified, Certified for Microsoft Teams as a USB device. Contact the manufacturer for additional information on pending and granted certifications.</p> <p>Compatibility: Plug and play USB connectivity with virtually any video conferencing application</p> <p>Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required), including Zoom Rooms Appliances. Certification pending for Microsoft Teams Rooms on Android and additional video conferencing platforms.</p>	<p>Built-in Components: 6 beamforming microphones, PTZ camera, 2 speakers, AI Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform</p> <p>Enclosure: All-in-one enclosure with integrated table stand and patented speaker suspension system to eliminate vibration-induced camera shake and audio interference</p> <p>Device Management: Logitech Sync</p> <p>Displays Supported: 2</p> <p>Display Resolution: Up to 4k</p>	<p>Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps</p> <p>Pan: Motorized ±25°</p> <p>Tilt: Motorized ±15°</p> <p>Zoom: 15X HD zoom (5X optical, 3X digital available with upcoming software update)</p> <p>Diagonal Field of View: 90°</p> <p>Horizontal Field of View: 82.1°</p> <p>Vertical Field of View: 52.2°</p> <p>Total Room Coverage: 132.1° Horizontal x 82.2° Vertical</p>
DIMENSIONS	SPEAKERS	RIGHTSENSE™ TECHNOLOGIES
<p>Height: 164 mm / 6.46 in</p> <p>Width: 910 mm / 2.99 ft</p> <p>Depth: 130.5 mm / 5.14 in</p> <p>Lens Depth: 28.8 mm / 1.13 in</p> <p>Weight: 7.08 kg / 15.6 lbs</p>	<p>Drivers: 2x 70mm / 2.7 in</p> <p>Output: 90dB SPL @1W, 99dB SPL @8.0W, both +/-2dB at ½ meter</p> <p>Sensitivity: 90+/-3dB SPL at 1W, ½ meter</p> <p>THD: 1kHz < 2%</p> <p>Speaker Sampling Rate: 48 kHz</p>	<p>RightLight™: Renders natural skin tones for each participant.</p> <p>RightSight™: Maintains persistent room awareness and detects human figures to auto-frame participants.</p> <p>RightSound™: Distinguishes speech from other sounds to auto-level voices while suppressing background noise and echo.</p>



MICROPHONES		INTERFACES		POWER & CABLES	
Frequency Response: 90Hz –16kHz Sensitivity: >-36dBFS +/-1dB @ 1Pa Microphone Data Rate Output: 48 kHz Pickup Range: 4.5m/15 ft Beamforming Elements: Six omnidirectional digital MEMS microphones forming five adaptive acoustic broadside beams Audio Processing: AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector) Noise Suppression: AI filter Add-on Mics: Supports up to 3 additional Rally Mic Pods for larger conference rooms		HDMI Out: 2 HDMI In: 1 USB 3.0: 3x Type A, 1x Type C Network: 10/100/1G Ethernet WiFi: 802.11a/b/g/n/ac (MIMO) External Mic Input: Yes (proprietary input supports optional Rally Mic Pod, Rally Mic Pod Hub, and Rally Mic Pod Extension Cable) Remote Control: Bluetooth® Low Energy		Power Supply: Auto-sensing Operating Voltage/Power: 100-240V, 19V, 4.74A Power Supply Dimensions: 127mm x 51mm x 30mm DC Cable: 1.5m/4.9 ft AC Cable: 1m/3.28 ft HDMI 1.4 Cable: 2m/6.5 ft USB A to USB C 3.0 Cable: 2.2m/7.2 ft	
ENVIRONMENTAL		SECURITY		WARRANTY	
Operating Temperature: 0 to 40 °C Storage Temperature: -40 to 70 °C Humidity: 10 to 95% BTU/hr: 57 idle, 64 in meeting		Full Disk Encryption: AES-128 Data Encryption: Symmetric Keys, PKI Device Identity: Protected by device attestation Device Access: Authenticated using API Key Protection: Arm TrustZone, RPMP		Standard: 2-year limited hardware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.	
PACKAGE CONTENTS			PRODUCT SPECS		
Rally Bar Power supply AC power cord HDMI cable		USB cable Remote control Lens caps for main camera and AI Viewfinder User documentation	Rally Bar - Graphite Part #: 960-001315 UPC: 097855156273		Rally Bar - White Part #: 960-001327 UPC: 097855156907



www.logitech.com/RallyBar

Contact your reseller
or contact us at
www.logitech.com/vcsales

Logitech Americas
7700 Gateway Blvd.
Newark, CA 94560 USA

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

© 2020 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published September 2020



DATA SHEET

LOGITECH RALLY BAR MINI


Simplicity meets versatility with Rally Bar Mini, Logitech's most advanced all-in-one video bar for small meeting rooms and huddle spaces. With studio-quality audio and video, AI-driven performance, and flexible deployment options, Rally Bar Mini sets a new standard for small room collaboration.

PREMIER VIDEO BAR FOR SMALL MEETING ROOMS

Rally Bar Mini is Logitech's premier all-in-one video bar for small rooms and huddle spaces.

It's remarkably simple to use, manage, and deploy at scale, delivering the capabilities of larger video bars like Logitech Rally Bar in a compact form factor for smaller spaces. With studio-quality audio and video, motorized pan and tilt, and AI-powered performance, Rally Bar Mini sets new standards for video collaboration.

Scalable across hundreds or thousands of rooms, Rally Bar Mini offers clutter-free cable management, multiple mounting options, and flexible deployment modes. Plug and play with virtually any PC or Mac, or run supported video conferencing applications on the device without a computer.



SIMPLE TO SET UP

USB Plug and Play

Easily connects to virtually any PC or Mac®, with no additional software required

Appliance Mode

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options

SIMPLE TO USE

RightSense Technologies

RightSight

Detects meeting participants, automatically moves the lens and adjusts the zoom so no one is left out of the picture

RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their best

RightSound

AI-driven voice leveling and unwanted noise suppression deliver outstanding clarity

One-Touch Join

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services

SIMPLE TO MANAGE

Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

Deploy Updates at Scale

Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech devices

Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

Partner Dashboard Support

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience



AUDIO	VIDEO	AI VIEWFINDER
Room-filling Sound Ultra low distortion speakers with RightSound™ convey every word with outstanding clarity	Ultra-HD Video Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K	Framed to Perfection A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight™ autoframing
Adaptive Beamforming Mic Array Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise	Expansive Room Coverage Mechanical pan and tilt covers rooms 163° across by 110° high, with exceptional image quality	See Everyone Clearly All meeting participants, even late arrivals, are automatically seen and included
Expansion Ready Add up to two Rally mic pods for even greater coverage in larger settings	Cinema Quality Logitech RightLight™ technology captures natural-looking skin tones, even in dim or backlit conditions	Move About Freely AI Viewfinder uses scene awareness to keep the camera on the action

ACCESSORIES

**TV Mount for Video Bars**

Securely mount Rally Bar Mini above or below a TV or monitor

**Wall Mount for Video Bars**

Neatly and confidently secure Rally Bar on the wall for minimal footprint

**Rally Mic Pod in Graphite**

Expand audio coverage and provide convenient access to mute controls

**Rally Mic Pod in White**

Expand audio coverage and provide convenient access to mute controls

**Rally Mic Pod Extension Cable**

Easily connect mic pods to Rally Bar with up to two 10m extension cables

**Rally Mic Pod Mount in Graphite and White**

Hide cables and anchor mics on the table or ceiling for a clean, finished look

**Logitech Tap Controller**

Deploy with Tap for easy one-touch to join

**Rally Mic Pod Hub**

Customize microphone placement for your conference table configuration

TECH SPECS

CERTIFICATIONS & COMPATIBILITY	GENERAL	CAMERA
<p>Certifications: Zoom™ Certified, Certified for Microsoft Teams as a USB device. Contact the manufacturer for additional information on pending and granted certifications.</p> <p>Compatibility: Plug and play USB connectivity with virtually any video conferencing application</p> <p>Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required), including Zoom Rooms Appliances. Certification pending for Microsoft Teams Rooms on Android and additional video conferencing platforms.</p>	<p>Built-in Components: 6 beamforming microphones, PTZ camera, 3 speakers, AI Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform</p> <p>Enclosure: All-in-one enclosure with integrated table stand and patented speaker suspension system to eliminate vibration-induced camera shake and audio interference</p> <p>Device Management: Logitech Sync</p> <p>Displays Supported: 2</p> <p>Display Resolution: Up to 4k</p>	<p>Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps</p> <p>Pan: Motorized ±25°</p> <p>Tilt: Motorized ±15°</p> <p>Zoom: 4X HD digital zoom</p> <p>Diagonal Field of View: 120°</p> <p>Horizontal Field of View: 113°</p> <p>Vertical Field of View: 80.7°</p> <p>Total Room Coverage (field of view + pan and tilt): 163° horizontal x 110° vertical</p>
DIMENSIONS	SPEAKERS	RIGHTSENSE™ TECHNOLOGIES
<p>Height: 91.4 mm/3.6 in</p> <p>Width: 719 mm/2.36 ft</p> <p>Depth: 101 mm/3.98 in</p> <p>Lens Depth: 18.5 mm/0.73 in</p> <p>Weight: 4.03 kgs/8.88 lbs</p>	<p>Woofer: 70mm/2.7in</p> <p>Mid-range: 2x/1.5in</p> <p>Output: 90dB SPL @1W, 99dB SPL @8.0W, both +/-2dB at ½ meter</p> <p>Sensitivity: 86+/-2dB SPL at 1W, ½ meter</p> <p>THD: 1kHz < 2%</p> <p>Speaker Sampling Rate: 48 kHz</p>	<p>RightLight™: Renders natural skin tones for each participant.</p> <p>RightSight™: Maintains persistent room awareness and detects human figures to auto-frame participants.</p> <p>RightSound™: Distinguishes speech from other sounds to auto-level voices while suppressing background noise and echo.</p>



MICROPHONES		INTERFACES		POWER & CABLES	
Frequency Response: 90Hz –16kHz Sensitivity: >-36dBFS +/-1dB @ 1Pa Microphone Data Rate Output: 48 kHz Pickup Range: 4.5m/15 ft Beamforming Elements: Six omnidirectional digital MEMS microphones forming five adaptive acoustic broadside beams Audio Processing: AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector) Noise Suppression: AI filter Add-on Mics: Supports up to 2 additional Rally Mic Pods		HDMI Out: 2 HDMI In: 1 USB 3.0: 3x Type A, 1x Type C Network: 10/100/1G Ethernet WiFi: 802.11a/b/g/n/ac (MIMO) External Mic Input: Yes (proprietary input supports optional Rally Mic Pod, Rally Mic Pod Hub, and Rally Mic Pod Extension Cable) Remote Control: Bluetooth® Low Energy		Power Supply: Auto-sensing Operating Voltage/Power: 100-240V, 19V, 4.74A Power Supply Dimensions: 127mm x 51mm x 30mm DC Cable: 1.5m/ 4.9 ft AC Cable: 1m/3.28 ft HDMI 1.4 Cable: 2m/6.5 ft USB A to USB C 3.0 Cable: 2.2m/7.2 ft	
ENVIRONMENTAL		SECURITY		WARRANTY	
Operating Temperature: 0 to 40 °C Storage Temperature: -40 to 70 °C Humidity: 10 to 95% BTU/hr: 57 idle, 64 in meeting		Full Disk Encryption: AES-128 Data Encryption: Symmetric Keys, PKI Device Identity: Protected by device attestation Device Access: Authenticated using API Key Protection: Arm TrustZone, RPMP		Standard: 2-year limited hardware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.	
PACKAGE CONTENTS			PRODUCT SPECS		
Rally Bar Mini Power supply AC power cord HDMI cable USB cable Remote control Lens caps for main lens and AI Viewfinder User documentation			Rally Bar Mini - Graphite Part #: 960-001343 UPC: 097855162199		Rally Bar Mini - White Part #: 960-001355 UPC: 097855162250



www.logitech.com/RallyBarMini

Contact your reseller
or contact us at
www.logitech.com/vcsales

Logitech Americas
7700 Gateway Blvd.
Newark, CA 94560 USA

Logitech Europe S.A.
EPFL - Quartier de l'Innovation
Daniel Borel Innovation Center
CH - 1015 Lausanne

Logitech Asia Pacific Ltd.
Tel : 852-2821-5900
Fax : 852-2520-2230

© 2020 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published October 2020